Clamp-On Digital Multimeters

- GS-Mark EN61010-1 Approval Voltage Category III 600 V, Pollution Degree II
- AC/DC Current Clamp
- Highly Accurate 1999, 2500, 3999, 4300 Counts Resolution
- MAX, Data Hold, PEAK, Δ ZERO Functions
- Model HHM592, HHM592D, HHM596, HHM596C, HHM599 with Auto-Ranging Operation
- Battery Life: 200 Hours
- Dimensions: 250 H x 100 W x 46 mm D (9.9 x 3.9 x 1.8")
- Weight: Approx. 320 g (10.8 oz)



Test Leads Included with All Models Shown



HHM590
$75

HHM590 Clamp-On Multimeter
1999 counts resolution
AC current measurement up to 700 Amps



HHM591
$114

HHM591 Clamp-On Multimeter
1999 counts resolution
AC current up to 700 Amps
DC current up to 700 Amps



HHM591T
$137

HHM591T Clamp-On Multimeter
1999 counts resolution
AC current up to 700 Amps
DC current up to 700 Amps
w/EL panel LCD




HHM592
$120

HHM592 Clamp-On Multimeter
2500 counts resolution
Microprocessor-based DMM
AC current up to 700 Amps
DCV accuracy up to 0.25%
w/EL panel LCD



HHM592D
$144

HHM592D Clamp-On Multimeter
2500 counts resolution
Microprocessor-based DMM
AC current up to 700 Amps
DC current up to 700 Amps
DCV accuracy up to 0.25%
w/EL panel LCD



Thermocouple Included!

Temperature models include a free 1 m (40") type K insulated beaded wire thermocouple with subminiature connector and wire spool caddy (one per channel).
Order a Spare!
Model No. SC-GG-K-30-36, $15



HHM596C Available with °C/°F Switchable Type K thermocouple:

HHM596
(No temperature measurement)
$137

HHM596C
$148

CE
All Models Shown



HHM598
$76

HHM596/HHM596C AC/DC Clamp-On Multimeter
4300 counts resolution
AC current up to 700 Amps
DC current up to 700 Amps
AC volt basic accuracy ±1.2%
DC current basic accuracy ±1.5%
HHM596C with °C/°F switchable type K thermocouple

HHM598 Clamp-On Multimeter
1999 counts resolution
AC current measurement
up to 700 Amps
AC current basic accuracy ±1.5%



Two Models Available for °C or °F:

HHM598C
$92

HHM598F
$92



HHM598T
$89



HHM599
$169

HHM598C/HHM598F Multimeter
1999 counts resolution
AC current measurement
up to 700 Amps
Basic accuracy ± 1.5%

HHM598T AC True-RMS Clampmeter
1999 counts resolution
AC current measurement
up to 700 Amps
Basic accuracy ± 1.5%

HHM599 AC/DC True-RMS Clampmeter
3¾ digit 3999 counts
AC current up to 700 Amps
DC current up to 700 Amps
DC current accuracy ± 1.5%
Resistance accuracy ± 0.3%

HHM590 Series Clamp-On Meters



HHM590



HHM592

To Order *(Specify Model Number)*

	Models		HHM590	HHM591	HHM591T	HHM592	HHM592D
	Price		**$75**	**$114**	**$137**	**$120**	**$144**
FEATURES	No. of digits		1999	1999	1999	2500	2500
	Range. Auto. manual		M	M	M	A	A
	Input impedance Mohm		10	10	10	10	10
	Analog bargraph						
	Relative					•	•
	Backlit EL panel LCD				•	•	•
	Temperature						
	Peak/Hold						
	Data/Hold		•	•	•	•	•
	MAX/MIN						
	MAX/HOLD			•	•		
	Capacitance					•	•
	Frequency			•	•	•	•
	Continuity		•	•	•	•	•
	Diode test		•	•	•	•	
DCV	True-RMS				•		
	Basic accuracy,%		0.5	0.5	0.5	0.25	0.25
	MAX. Resolution, µV		1 mV	1 V	1 V	100	100
ACV	Basic accuracy, %		1.2	1.2	1.2	0.75	0.75
	MAX. Resolution, µV		100 mV	100 mV	100 mV	100	100
	Frequency Response, Hz		50 to 500	50 to 500	50 to 500	50 to 500	50 to 500
DCA	Accuracy	Basic 1.5%		0~700 A	0~700 A		0~700 A
		Basic 2.0%		700~1200 A	700~1200 A		700~1200 A
	MAX/Resolution, µA			0.1	0.1		0.1
ACA	Accuracy	50-60Hz 1.5%	0~700 A	0~700 A	0~700 A	0~700 A	0~700 A
		40-500Hz 3.5%	0~700 A	0~700 A	0~700 A	0~700 A	0~700 A
		50-60Hz 2%, A	700 A	700 A	700 A	700 A	700 A
	MAX. Resolution, A		0.01	0.01	0.1	0.01	0.1
	Basic accuracy, %					1.75	1.75
CX	MAX. Resolution, µF					1.0	1.0
	MAX. Cap mF					25	25
	Basic accuracy, %					3	3
Ω	MAX. Resolution, ohm		100 Ω	1 Ω	1 Ω	100 m	100 m
	MAX. Resistance, Mohm		200 KΩ	200 KΩ	200 KΩ	25 M	25 M
	Basic accuracy, %		1.2	1.2	1.2	0.3	0.3
Hz	Max. Resolution, Hz			1.0	1.0	0.001	0.001
	Max. Frequency, MHz			20 K	20 K	5 M	5 M
	Basic accuracy		0.1	0.1	0.1	0.05	0.05


Ordering Example: *HHM596C clamp-on meter,* ***$148.***

Accessories for Clamp-On Meters

Model Number	Price	Description
RCC-500	**$12**	Hard carrying case
HHM-TL	**5**	Extra set of test leads
MN1604	**3**	Extra 9 V alkaline battery

All clamp-on meters include ***free*** *set of safety test leads, 9 V alkaline battery, type K beaded wire thermocouple (temperature models only) and complete operator's manual.*

All clamp-on meters come with HHM-TL General use test lead set. High quality design.



Order a spare set, **$5**

1 YEAR WARRANTY

ALL MODELS AVAILABLE FOR FAST DELIVERY!


HHM596	HHM596C	HHM598	HHM598C/F	HHM598T	HHM599	HHM58	HHM59
$137	**$148**	**$76**	**$92**	**$89**	**$169**	**$195**	**$129**
4300	4300	1999	1999	1999	3999	3999	1999
A	A	M	M	M	A	M	M
10	10	10	10	10	10	10	10
					•	•	
•	•				•		
	°C/°F		°C/°F				°C/°F
•	•	•	•	•	•	•	•
A-H	A-H	•	•	•	•	•	•
•	•				•	•	
		•	•	•		•	
					•	•	
•	•	•	•	•	•	•	
•	•	•	•	•	•	•	
•	•	•	•	•	•	•	
				•	•	•	
0.25	0.25	0.5	0.5	0.5	0.25	0.5	0.5
100	100	1V	1V	1V	100	100 µV	100
1.2	1.2	1.2	1.2	1.2	0.75	1.5	1.2
100	100	100 mV	100 mV	100 mV	100	100 µV	100
50 to 500	50 to 500	50 to 500	50 to 500	50 to 500	50 to 500	50 to 500	50 to 500
0~700 A	0~700 A				0~700 A	0~1000 A	
700~1200 A	0~700~1200 A				0~700~1200 A		
0.1	0.1				0.1	100	
0~700 A	0~700 A	0~700 A	0~700 A	0~700 A	0~700 A	1000 A	
0~700 A	0~700 A	0~700 A	0~700 A	0~700 A	0~700 A	<800 A	
700 A	700 A	700 A	700 A	700 A	700 A	800~1000 A	0~1000 A
0.1	0.1	0.01	0.01	0.01	0.1	0.1	0.1
					2	1.5	2.0%
					1.0	1.0	
					40	40 µF	
		1.2	1.2	1.2	0.3	1.5	
100	100	1 Ω	1 Ω	1 Ω	100	0.1 Ω	0.1 Ω
43	43	200 Ω	200 Ω	200 Ω	40	40	2 M
0.1	0.1	0.1	0.1	0.1	0.1	1.0	1.0
0.1	0.1	1.0	1.0	1.0	0.01	0.01	
4.3 K	4.3 K	20 K	20 K	20 K	500 K	400 K	
0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1



HHM596



HHM598



Thermocouple Included!

Temperature models include a free 1 m (40") type K insulated beaded wire thermocouple with subminiature connector and wire spool caddy (one per channel). **Order a Spare!**
Model No. SC-GG-K-30-36, $15



HHM59

Q-36



HHM58

omega.com®

Your One-Stop Source for Process Measurement and Control!

One Omega Drive | Stamford, CT 06907 | 1-888-TC-OMEGA (1-888-826-6342) | info@omega.com

www.omega.com

UNITED STATES
www.omega.com
1-800-TC-OMEGA
Stamford, CT.

UNITED KINGDOM
www. omega.co.uk
Manchester, England
0800-488-488

CANADA
www.omega.ca
Laval(Quebec)
1-800-TC-OMEGA

FRANCE
www.omega.fr
Guyancourt, France
088-466-342

GERMANY
www.omega.de
Deckenpfronn, Germany
0800-8266342

CZECH REPUBLIC
www.omegaeng.cz
Karviná, Czech Republic
596-311-899

BENELUX
www.omega.nl
Amstelveen, NL
0800-099-33-44



More than 100,000 Products Available!

• Temperature

Calibrators, Connectors, General Test and Measurement Instruments, Glass Bulb Thermometers, Handheld Instruments for Temperature Measurement, Ice Point References, Indicating Labels, Crayons, Cements and Lacquers, Infrared Temperature Measurement Instruments, Recorders Relative Humidity Measurement Instruments, RTD Probes, Elements and Assemblies, Temperature & Process Meters, Timers and Counters, Temperature and Process Controllers and Power Switching Devices, Thermistor Elements, Probes and Assemblies, Thermocouples Thermowells and Head and Well Assemblies, Transmitters, Wire

• Flow and Level

Air Velocity Indicators, Doppler Flowmeters, Level Measurement, Magnetic Flowmeters, Mass Flowmeters, Pitot Tubes, Pumps, Rotameters, Turbine and Paddle Wheel Flowmeters, Ultrasonic Flowmeters, Valves, Variable Area Flowmeters, Vortex Shedding Flowmeters

• pH and Conductivity

Conductivity Instrumentation, Dissolved Oxygen Instrumentation, Environmental Instrumentation, pH Electrodes and Instruments, Water and Soil Analysis Instrumentation

• Data Acquisition

Auto-Dialers and Alarm Monitoring Systems, Communication Products and Converters, Data Acquisition and Analysis Software, Data Loggers Plug-in Cards, Signal Conditioners, USB, RS232, RS485 and Parallel Port Data Acquisition Systems, Wireless Transmitters and Receivers

• Pressure, Strain and Force

Displacement Transducers, Dynamic Measurement Force Sensors, Instrumentation for Pressure and Strain Measurements, Load Cells, Pressure Gauges, Pressure Reference Section, Pressure Switches, Pressure Transducers, Proximity Transducers, Regulators, Strain Gages, Torque Transducers, Valves

• Heaters

Band Heaters, Cartridge Heaters, Circulation Heaters, Comfort Heaters, Controllers, Meters and Switching Devices, Flexible Heaters, General Test and Measurement Instruments, Heater Hook-up Wire, Heating Cable Systems, Immersion Heaters, Process Air and Duct, Heaters, Radiant Heaters, Strip Heaters, Tubular Heaters

• *click here to go to the omega.com home page* •